

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	10	((interrupt adj mode).clm. same (poll\$3 adj mode).clm.	US-PGPUB; USPAT	OR	ON	2008/03/15 16:36
L3	1276	710/260.ccls.	US-PGPUB; USPAT	OR	ON	2008/03/15 16:41
L4	280	710/260.ccls. and poll\$3	US-PGPUB; USPAT	OR	ON	2008/03/15 16:41
L5	14	710/260.ccls. and switch\$3 with poll\$3	US-PGPUB; USPAT	OR	ON	2008/03/15 16:41
S1	1315	718/10\$.ccls. and interrupt	US-PGPUB; USPAT	OR	ON	2005/05/12 14:53
S2	841	718/10\$.ccls. and interrupt and @ad<"19990922"	US-PGPUB; USPAT	OR	ON	2005/05/12 14:54
S3	18	718/10\$.ids. and interrupt and @ad<"19990922"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:09
S4	2078	disab\$3 adj2 interrupt and @ad<"19990922"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:10
S5	30	disab\$3 adj2 interrupt with (\$2schedul\$3 queu\$3) and @ad<"19990922"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:54
S6	121	disab\$3 adj2 interrupt same (\$2schedul\$3 queu\$3) and @ad<"19990922"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:54
S7	30	disab\$3 adj2 interrupt with (\$2schedul\$3 queu\$3) and @ad<"19990922"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:54
S8	91	disab\$3 adj2 interrupt same (\$2schedul\$3 queu\$3) and @ad<"19990922" not S7	US-PGPUB; USPAT	OR	ON	2005/05/12 15:54
S9	12	("5274823").URPN.	USPAT	OR	OFF	2005/05/12 16:30
S10	1	"4980820".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/12 16:43
S11	7	(US-5911065-\$ or US-5274823-\$ or US-5995745-\$ or US-5469571-\$ or US-5606703-\$ or US-5560018-\$ or US-4980820-\$).did.	USPAT	OR	OFF	2005/05/12 17:08
S12	2	S1 and (schedul\$3 queue) near interrupt	US-PGPUB; USPAT	OR	ON	2005/05/12 17:08
S13	11961	interrupt and poll\$3	US-PGPUB; USPAT	OR	OFF	2005/05/13 12:23
S14	13036	interrupt and poll\$3	US-PGPUB; USPAT	OR	ON	2005/05/13 12:24
S15	235	low with interrupt and high with poll\$3	US-PGPUB; USPAT	OR	ON	2005/05/13 12:25

S16	34	system with low with interrupt and system with high with poll \$3	US-PGPUB; USPAT	OR	ON	2005/05/13 12:25
S17	30	system with low with interrupt and system with high with poll \$3 and @ad<"19990922"	US-PGPUB; USPAT	OR	ON	2005/05/13 12:25
S18	2	system with low with interrupt same system with high with poll\$3 and @ad<"19990922"	US-PGPUB; USPAT	OR	ON	2005/05/13 12:27
S19	728299	interrupt near mechanism same poll\$3 mechanism and @ad<"19990922"	US-PGPUB; USPAT	OR	ON	2005/05/13 12:27
S20	1240025	interrupt near mechanism same poll\$3 mechanism	US-PGPUB; USPAT	OR	ON	2005/05/13 12:27
S21	26	interrupt near mechanism same poll\$3 near mechanism	US-PGPUB; USPAT	OR	ON	2005/05/13 12:29
S22	15	interrupt near mechanism same poll\$3 near mechanism and @ad<"19990323"	US-PGPUB; USPAT	OR	ON	2005/05/13 12:35
S23	23	interrupt near mechanism and poll\$3 near mechanism and @ad<"19990323"	US-PGPUB; USPAT	OR	ON	2005/05/13 12:35
S24	8	interrupt near mechanism and poll\$3 near mechanism and @ad<"19990323" not S22	US-PGPUB; USPAT	OR	ON	2005/05/13 14:06
S25	0	"5933598".pn. and device adj driver	US-PGPUB; USPAT	OR	ON	2005/05/13 14:06
S26	0	"5933598".pn. and driver	US-PGPUB; USPAT	OR	ON	2005/05/13 14:06
S27	0	"20002094494"	US-PGPUB	OR	OFF	2005/05/17 10:54
S28	0	"200020194494"	US-PGPUB	OR	OFF	2005/05/17 10:54
S29	1	"20020194494"	US-PGPUB	OR	OFF	2005/05/17 10:54
S30	76	(schedul\$3 queu\$3) with (disabl\$3 (without near \$2enabl\$3)) near interrupt	US-PGPUB; USPAT	OR	ON	2005/11/11 11:16
S31	7	(schedul\$3 queu\$3) with (disabl\$3 (without near \$2enabl\$3)) near interrupt and (@ad<"19990323" @prad<"19990323") and "718"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/11 11:29
S32	27	(schedul\$3 queu\$3) same (disabl\$3 (without near \$2enabl\$3)) near interrupt and (@ad<"19990323" @prad<"19990323") and "718"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/11 11:29

S33	20	(schedul\$3 queu\$3) same (disabl\$3 (without near \$2enabl\$3)) near interrupt and (@ad<"19990323" @prad<"19990323") and "718"/\$.cds. not S31	US-PGPUB; USPAT	OR	ON	2005/11/11 11:35
S34	11	(schedul\$3 queu\$3) same (disabl\$3 (without near \$2enabl\$3)) with interrupt and (@ad<"19990323" @prad<"19990323") and "718"/\$.cds. not S32	US-PGPUB; USPAT	OR	ON	2005/11/11 11:37
S35	42	(execut\$3) same (disabl\$3 (without near \$2enabl\$3)) with interrupt and (@ad<"19990323" @prad<"19990323") and "718"/\$.cds. not S32	US-PGPUB; USPAT	OR	ON	2005/11/11 11:37
S36	59	(execut\$3) same (disabl\$3 (without near \$2enabl\$3)) with interrupt and (@ad<"19990323" @prad<"19990323") and "718"/\$.cds. not S30	US-PGPUB; USPAT	OR	ON	2005/11/11 11:38
S37	17	(execut\$3) same (disabl\$3 (without near \$2enabl\$3)) with interrupt and (@ad<"19990323" @prad<"19990323") and "718"/\$.cds. not S30 not S35	US-PGPUB; USPAT	OR	ON	2005/11/11 11:38
S38	0	(execut\$3) same (disabl\$3 (without near \$2enabl\$3)) with interrupt and (@ad<"19990323" @prad<"19990323") and "718"/\$.cds. not S30 not S35 not S32	US-PGPUB; USPAT	OR	ON	2005/11/11 11:38
S39	15467	generat\$3 near interrupt	US-PGPUB; USPAT	OR	ON	2005/11/11 11:39
S40	440	generat\$3 near interrupt same disabl\$3 near interrupt	US-PGPUB; USPAT	OR	ON	2005/11/11 11:39
S41	295	generat\$3 near interrupt same disabl\$3 near interrupt and (@ad<"19990323" @prad<"19990323")	US-PGPUB; USPAT	OR	ON	2005/11/11 11:39
S42	0	generat\$3 near interrupt same disabl\$3 near interrupt same schedul\$3 with (program task item application file object) with generat\$3 near interrupt and (@ad<"19990323" @prad<"19990323")	US-PGPUB; USPAT	OR	ON	2005/11/11 11:40

S43	0	generat\$3 near interrupt same disabl\$3 near interrupt and schedul\$3 with (program task item application file object) with generat\$3 near interrupt and (@ad<"19990323" @prad<"19990323")	US-PGPUB; USPAT	OR	ON	2005/11/11 11:40
S44	11	generat\$3 near interrupt same disabl\$3 near interrupt same schedul\$3 and (@ad<"19990323" @prad<"19990323")	US-PGPUB; USPAT	OR	ON	2005/11/11 11:55
S45	1	"5274823".pn.	US-PGPUB; USPAT	OR	ON	2005/11/11 11:55
S46	12	"5274823".urpn.	US-PGPUB; USPAT	OR	ON	2005/11/11 11:59
S47	679	schedul\$3 with execut\$3 with interrupt	US-PGPUB; USPAT	OR	ON	2005/11/11 11:59
S48	66	schedul\$3 with execut\$3 with interrupt and disable adj interrupt	US-PGPUB; USPAT	OR	ON	2005/11/11 11:59
S49	2	("5784647" or ("5414858")). PN.	USPAT	OR	OFF	2005/11/11 13:53
S50	14	("4038641"   "4038642"   "4177512"   "4547845"   "4742335"   "4780715"   "4799148"   "4829297"   "4924461"   "5038275"   "5081577"   "5101199"   "5155839"   "5239652").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/11 13:56
S51	19	("5414858").URPN.	USPAT	OR	OFF	2005/11/11 14:49
S52	7382	(interrupt exception) and (IBM. as. "International Business Machines".as.)	USPAT	OR	ON	2005/11/11 14:52
S53	1021	(interrupt exception).cm. and (IBM.as. "International Business Machines".as.)	USPAT	OR	ON	2005/11/11 15:26
S54	33	(interrupt exception).cm. and schedul\$3.cm. and (IBM.as. "International Business Machines".as.)	USPAT	OR	ON	2005/11/11 15:10
S55	56	reschedul\$3 with interrupt	USPAT	OR	ON	2005/11/11 15:10
S56	48	reschedul\$3 with interrupt and (@ad<"19990323" @prad<"19990323")	US-PGPUB; USPAT	OR	ON	2005/11/11 15:21
S57	675	(disabl\$3 (without \$3enabl \$3)) near interrupt	DERWENT; IBM_TDB	OR	ON	2005/11/11 15:22
S58	434	(disabl\$3 (without \$3enabl \$3)) adj interrupt	DERWENT; IBM_TDB	OR	ON	2005/11/11 15:22

S59	211	(disabl\$3 (without \$3enabl\$3)) adj interrupt and (@ad<"19990323"@prad<"19990323")	DERWENT; IBM_TDB	OR	ON	2005/11/11 15:22
S60	2	schedul\$3 same (disabl\$3 (without \$3enabl\$3)) adj interrupt and (@ad<"19990323"@prad<"19990323")	DERWENT; IBM_TDB	OR	ON	2005/11/11 15:23
S61	0	(disabl\$3 (without \$3enabl\$3)) adj interrupt and (@ad<"19990323"@prad<"19990323")	IBM_TDB	OR	ON	2005/11/11 15:23
S62	0	(disabl\$3 (without \$3enabl\$3)) with interrupt and (@ad<"19990323"@prad<"19990323")	IBM_TDB	OR	ON	2005/11/11 15:23
S63	0	(disabl\$3 (without \$3enabl\$3)) and interrupt and (@ad<"19990323"@prad<"19990323")	IBM_TDB	OR	ON	2005/11/11 15:23
S64	1475	(disabl\$3 (without \$3enabl\$3)) and interrupt	IBM_TDB	OR	ON	2005/11/11 15:23
S65	90	(disabl\$3 (without \$3enabl\$3)) adj interrupt	IBM_TDB	OR	ON	2005/11/11 15:24
S66	0	(disabl\$3 (without \$3enabl\$3)) adj interrupt and "butterworth.in.v"	IBM_TDB	OR	ON	2005/11/11 15:24
S67	0	(disabl\$3 (without \$3enabl\$3)) adj interrupt and butterworth.in.	IBM_TDB	OR	ON	2005/11/11 15:24
S68	7	(disabl\$3 (without \$3enabl\$3)) adj interrupt and schedul\$3	IBM_TDB	OR	ON	2005/11/11 15:25
S69	137	switch\$3 with interrupt with poll\$3 and (@ad<"19990323"@prad<"19990323")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/11 15:30
S70	105419	(IBM.as. "International Business Machines".as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/11 15:26
S71	129	S69 not S70	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/11 15:26
S72	8	S69 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/11 15:26
S73	50	switch\$3 with interrupt with poll\$3 and disabl\$3 with interrupt\$3 and (@ad<"19990323"@prad<"19990323")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/11 15:31

S74	43	switch\$3 with interrupt with poll\$3 and disabl\$3 with interrupt\$3 and (@ad<"19990323"@prad<"19990323") not S70	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/11 15:31
S75	22	("5414858").URPN.	USPAT	OR	OFF	2006/11/21 11:25
S76	0	"6745307".pn. and faster near comput\$3	USPAT	OR	OFF	2006/11/21 11:26
S77	1	"6745307".pn. and address with transl\$3	USPAT	OR	OFF	2006/11/21 11:27
S78	1	"6745307".pn. and address near process\$3	USPAT	OR	ON	2006/11/21 11:33
S79	0	("6745307".pn. "6154818".pn.) and address with transl\$3 with place	USPAT	OR	ON	2006/11/21 11:33
S80	0	("6745307".pn. "6154818".pn.) and address with transl\$3 with faster	USPAT	OR	ON	2006/11/21 11:33
S81	1	("6745307".pn. "6154818".pn.) and address with transl\$3 with process\$3	USPAT	OR	ON	2006/11/21 11:34
S82	1	("6446204").PN.	USPAT	OR	OFF	2006/11/21 15:28
S83	23	("5414858").URPN.	USPAT	OR	OFF	2007/12/05 21:05
S84	23	("5414858").URPN.	USPAT	OR	OFF	2008/02/04 14:44

3/15/08 4:50:24 PM

C:\Documents and Settings\claforgia\My Documents\EAST\Workspaces\09401676.wsp